# **PHILIPS** Lighting



# TrueForce - LED HID HPL

# TForce LED HPL ND 57-42W E27 830

Philips TrueForce LED lamps provide an easy LED solution with a fast payback to replace High-Intensity Discharge (HID) and High Pressure Sodium (SON) lamps. These post-top lamps bring the energy efficiency and long lifetime benefits of LED to HID replacement, delivering instant savings for a low initial investment. With the right lamp size and light distribution, customers can easily retrofit TrueForce LED lamps into their existing HPL and SON system, thereby enhancing the light quality with LED HID, without having to change the fixtures or sacrifice the light effect.

#### Warnings and Safety

• Installation should always be performed by a qualified electrician or installer. Use the installation guide for instructions

### **Product data**

General Information	
Cap-Base	E27 [E27]
CE mark	Yes
EU RoHS compliant	Yes
Nominal lifetime	50,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LED
Flux measurement reference	Sphere
Light Technical	
Color Code	830 [CCT of 3000K]
Beam Angle (Nom)	360 degree(s)
Luminous Flux	5,700 lumen
Color Designation	White (WH)
Correlated Color Temperature (Nom)	3000 K


Luminous Efficacy (rated) (Nom)	135 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	42 W
Lamp Current (Nom)	186 mA
Wattage Equivalent	125 W
Starting Time (Nom)	0.45 s
Warm-up time to 60% light	0.45 s
Power Factor (Fraction)	0.95
	-

# **TrueForce - LED HID HPL**


Malta an (Nama)	220.240.1/	
Voltage (Nom)	220-240 V	
Temperature		
Ambient temperature range	-40 °C to 55 °C	
T-Case Maximum (Nom)	65 °C	
Controls and Dimming		
Dimmable	No	
Mechanical and Housing		
Bulb Finish	Clear	
Bulb Shape	Others	
Approval and Application		
Energy Consumption kWh/1000 h	42 kWh	

EPREL Registration Number	403,603
Product Data	
Full product code	871869963822100
Order product name	TForce LED HPL ND 57-42W E27 830
Order code	929002006502
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6
Material number (12NC)	929002006502
Net weight	0.365 kg
Full product name	TForce LED HPL ND 57-42W E27 830
EAN/UPC - Case	8718699638238

## Dimensional drawing



#### Photometric data




Spectral Power Distribution Colour - TForce LED HPL ND 57-42W E27 830

Product	D	с
TForce LED HPL ND 57-42W E27 830	84 mm	178 mm

1x1	Force EU GII IP65 9290820865
Nor Nexts Report. Quarte minuter dayor	1 x 1710 be


Philips Labour & X

Page 11




# **TrueForce - LED HID HPL**

#### Photometric data



Light Distribution Diagram - TForce LED HPL ND 57-42W E27 830

#### Lifetime



Life Expectancy Diagram - TForce LED HPL ND 57-42W E27 830

Lumen Maintenance Diagram - TForce LED HPL ND 57-42W E27 830



© 2023 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.

www.lighting.philips.com 2023, May 5 - data subject to change