



CorePro LEDcapsule MV

CorePro LEDcapsule ND 4.8-60W G9 827

The LED specialties deliver a high quality light to make themselves to be a true replacement of halogen specialty lamp (such as G9 and R7S). It is particularly suit for task lighting in hotel and restaurants, and ideal for decorative and ambient application. LEDspecialty products deliver huge energy saving and minimize maintenance costs, without any compromise on light quality.

Product data


| General Information | | Power Consumption | |
|---------------------------------------|--------------------|-------------------------------|-----------|
| Cap-Base | G9 [G9] | Lamp Current (Nom) | 44 mA |
| Nominal lifetime | 15,000 hour(s) | Wattage Equivalent | 60 W |
| Switching Cycle | 50,000 | Starting Time (Nom) | 0.5 s |
| Lighting Technology | LED | Warm-up time to 60% light | 0.5 s |
| Flux measurement reference | Sphere | Power Factor (Fraction) | 0.4 |
| Light Technical | | Voltage (Nom) | 220-240 V |
| Color Code | 827 [CCT of 2700K] | Temperature | |
| Luminous Flux | 570 lumen | T-Case Maximum (Nom) | 99 °C |
| Color Designation | Warm White (WW) | Controls and Dimming | |
| Correlated Color Temperature (Nom) | 2700 K | Dimmable | No |
| Luminous Efficacy (rated) (Nom) | 118.00 lm/W | Mechanical and Housing | |
| Color Consistency | <6 | Bulb Shape | Capsule |
| Color rendering index (CRI) | 80 | Approval and Application | |
| LLMF At End Of Nominal Lifetime (Nom) | 70 % | Suitable For Accent Lighting | No |
| Operating and Electrical | | Energy Consumption kWh/1000 h | 5 kWh |
| Line Frequency | 50 to 60 Hz | | |
| Input Frequency | 50 to 60 Hz | | |

CorePro LEDcapsule MV

| | |
|---------------------------|--------------------------------------|
| EPREL Registration Number | 397,599 |
| CE mark | Yes |
| EU RoHS compliant | Yes |
| Product Data | |
| Full product code | 871869965780200 |
| Order product name | CorePro LEDcapsule ND 4.8-60W G9 827 |
| Order code | 929002055102 |



| | |
|---------------------------------|--------------------------------------|
| Numerator - Quantity Per Pack | 1 |
| Numerator - Packs per outer box | 12 |
| Material number (12NC) | 929002055102 |
| Full product name | CorePro LEDcapsule ND 4.8-60W G9 827 |
| EAN/UPC - Case | 8718699657819 |

Dimensional drawing




| Product | D | C |
|--------------------------------------|-------|-------|
| CorePro LEDcapsule ND 4.8-60W G9 827 | 19 mm | 60 mm |

Photometric data




Light Distribution Diagram - CorePro LEDcapsule ND 4.8-60W G9 827




Spectral Power Distribution Colour - CorePro LEDcapsule ND 4.8-60W G9 827

CorePro LEDcapsule MV

Lifetime



Life Expectancy Diagram - CorePro LEDcapsule ND 4.8-60W G9 827



Lumen Maintenance Diagram - CorePro LEDcapsule ND 4.8-60W G9 827

